





## CEDAR CITY MINIMUM TESTING REQUIREMENTS

DESCRIPTION	TEST / QUANTITY	QUANTITY	TESTS REQ'D
ROAD EMBANKMENT DENSITY TESTS	1/500 C.Y.	C.Y.	
ROAD SUBGRADE DENSITY TESTS	1/1,000 S.Y.	S.Y.	
TRENCH DENSITY TESTS			
STORM DRAINS / CULVERTS	2/200 L.F. OF TRENCH	L.F.	
STORM DRAIN MANHOLES / INLET BOX	2/MANHOLE OR BOX	EACH	
IRRIGATION LINE	2/200 L.F. OF TRENCH	L.F.	
WATER LINE (INCLUDES F. H. & SERVICE LATERALS)	2/200 L.F. OF TRENCH	L.F.	
SEWER LINE (INCLUDE SERVICE LATERALS)	5/200 L.F. OF TRENCH	L.F.	
SEWER MANHOLE	5/EACH MANHOLE	EACH	
VALVES	2/VALVE OR VALVE SET	EACH	
UTILITY CONDUITS	2/200 L.F. OF TRENCH	L.F.	
ROAD PIT RUN DENSITY TESTS	1/7,000 S.F.	S.F.	
ROAD PIT RUN THICKNESS TESTS	1/5,000 S.F.	S.F.	
ROAD BASE COURSE DENSITY TESTS	1/7,000 S.F.	S.F.	
ROAD BASE THICKNESS TESTS	1/5,000 S.F.	S.F.	
CURB/GUTTER BASE DENSITY TESTS	1/300 L.F.	L.F.	
SIDEWALK BASE DENSITY TESTS	1/300 L.F.	L.F.	
ASPHALT EXTRACTION TESTS	1/500 TONS OR 1 PER DAY WHICHEVER IS MORE	TON	
ASPHALT DENSITY TESTS	1/7,000 S.F.	S.F.	
ASPHALT THICKNESS TESTS	1/10,000 S.F.	S.F.	
CONCRETE CYLINDER BREAKS	3/50 C.Y.	C.Y.	
CONCRETE AIR ENTRAINMENT	1 IF INITIAL TEST PASSES	LOADS	
CONCRETE SLUMP TESTS	1 IF INITIAL TEST PASSES	LOADS	
ROAD BASE GRADATION TEST	1/15,000 S.F.	S.F.	
CURB & GUTTER BASE COURSE GRAD.	1/2,000 L.F.	L.F.	
CURB & GUTTER THICKNESS TEST	1/200 L.F.	L.F.	
SIDEWALK THICKNESS TEST	1/200 L.F.	L.F.	

SHEET NO.  
**X3**  
FILE: X03

TESTING SCHEDULE

**CEDAR CITY**  
10 NORTH MAIN STREET  
CEDAR CITY, UTAH 84720  
PH. (435) 586-2963

SCALE:  
N.T.S.  
DRAWN:  
T.B.M.

DATE:  
8/2016  
CHECKED:  
K.C.W.